

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1-79. (Canceled.)

80. (Currently Amended) A liquid cosmetic composition comprising, in a cosmetically acceptable organic liquid medium, at least one non-elastomeric film-forming linear block ethylenic polymer, wherein the at least one non-elastomeric film-forming linear block ethylenic polymer has a polydispersity index of greater than or equal to 2.5 and comprises at least one first block and at least one second block with different glass transition temperatures (T<sub>g</sub>) linked together via an intermediate segment comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the at least one first block differs from the at least one constituent monomer of the at least one second block, said intermediate segment is a random copolymer block, and the at least one first block of the polymer is chosen from:

a) a block with a T<sub>g</sub> of greater than or equal to 40°C,

b) a block with a T<sub>g</sub> of less than or equal to 20°C,

c) a block with a T<sub>g</sub> of between 20 and 40°C, and

the at least one second block is chosen from a category a), b) or c) different from the at least one first block, and further wherein the liquid cosmetic composition has a present in a sufficient amount so that the mean gloss at 20° of a deposit of the liquid

~~cosmetic composition, once spread onto a support, is greater than or equal to 30 out of 100.~~

81. (Currently Amended) A liquid cosmetic composition comprising, in a cosmetically acceptable organic liquid medium, at least one film-forming linear block ethylenic polymer free of styrene units, wherein the at least one film-forming linear block ethylenic polymer free of styrene has a polydispersity index of greater than or equal to 2.5 and comprises at least one first block and at least one second block with different glass transition temperatures (T<sub>g</sub>) linked together via an intermediate segment comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the at least one first block differs from the at least one constituent monomer of the at least one second block, said intermediate segment is a random copolymer block, and the at least one first block of the polymer is chosen from:

- a) a block with a T<sub>g</sub> of greater than or equal to 40°C,
- b) a block with a T<sub>g</sub> of less than or equal to 20°C,
- c) a block with a T<sub>g</sub> of between 20 and 40°C, and

the at least one second block is chosen from a category a), b) or c) different from the at least one first block, and further wherein the liquid cosmetic composition has a  
~~the at least one block polymer is present in a sufficient amount so that the mean gloss at 20° of a deposit of the liquid cosmetic composition, once spread onto a support, is greater than or equal to 30 out of 100.~~

82. (Previously Presented) The liquid cosmetic composition according to Claim 80, wherein the at least one block polymer is an ethylenic polymer derived from

aliphatic ethylenic monomers comprising a carbon-carbon double bond and at least one group chosen from ester -COO- groups and amide -CON- groups.

83. (Previously Presented) The liquid cosmetic composition according to Claim 80, wherein the at least one block polymer is not soluble at an active material content of at least 1% by weight in water or in a mixture of water and of linear or branched lower monoalcohols containing from 2 to 5 carbon atoms, without pH modification, at room temperature (25°C).

84. (Cancelled)

85. (Cancelled)

86. (Currently Amended) The liquid cosmetic composition according to Claim ~~85~~ 80, wherein ~~the at least one first block and the at least one second block are linked together via an~~ the intermediate segment ~~with~~ has a glass transition temperature that ranges from the glass transition temperature of the at least one first block to the glass transition temperature of the at least one second block.

87. (Currently Amended) The liquid cosmetic composition according to Claim 80, wherein ~~the at least one block polymer comprises~~ at least one first block and the at least one second block ~~that~~ are incompatible in the cosmetically acceptable organic liquid medium.

88. (Cancelled)

89. (Cancelled)

90. (Currently Amended) The liquid cosmetic composition according to Claim ~~89~~ 80, wherein the block with a Tg of greater than or equal to 40°C comprises ~~is totally or partially derived from~~ at least one monomer, ~~which is such that a~~ the homopolymer

prepared from the at least one monomer has a glass transition temperature of greater than or equal to 40°C.

91. (Currently Amended) The liquid cosmetic composition according to Claim 90, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to 40°C is chosen from the following monomers:


- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$

in which  $\text{R}_1$  is chosen from a linear ~~or~~ and branched unsubstituted  $\text{C}_1\text{-C}_4$  alkyl group and a  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl group;

- acrylates of formula  $\text{CH}_2 = \text{CH-COOR}_2$

in which  $\text{R}_2$  is chosen from a  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl group and a tert-butyl group, and

- (meth)acrylamides of formula:



in which  $\text{R}_7$  and  $\text{R}_8$ , which may be identical or different, are chosen from hydrogen atoms and linear ~~or~~ and branched  $\text{C}_1$  to  $\text{C}_{12}$  alkyl groups ; or  $\text{R}_7$  is hydrogen and  $\text{R}_8$  is a 1,1-dimethyl-3-oxobutyl group; and  $\text{R}'$  is chosen from hydrogen and methyl;  
~~—and mixtures thereof.~~

92. (Currently Amended) The liquid cosmetic composition according to Claim 90, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to 40°C is chosen from methyl

methacrylate, isobutyl (meth)acrylate and isobornyl (meth)acrylate, ~~and mixtures thereof.~~

93. (Currently Amended) The liquid cosmetic composition according to Claim ~~89~~ 80, wherein the block with a Tg of less than or equal to 20°C comprises ~~is derived totally or partially from~~ at least one monomer, ~~which is~~ such that a homopolymer prepared from the at least one monomer has a glass transition temperature of less than or equal to 20°C.

94. (Currently Amended) The liquid cosmetic composition according to Claim 93, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of less than or equal to 20°C is chosen from the following monomers:

- acrylates of formula  $\text{CH}_2 = \text{CHCOOR}_3$ , wherein:

$\text{R}_3$  is a linear or branched  $\text{C}_1$  to  $\text{C}_{12}$  unsubstituted alkyl group, with the exception of the tert-butyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;

- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_4$ , wherein:

$\text{R}_4$  is a linear or branched  $\text{C}_6$  to  $\text{C}_{12}$  unsubstituted alkyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;

- vinyl esters of formula  $\text{R}_5\text{-CO-O-CH} = \text{CH}_2$ , wherein:

$\text{R}_5$  is a linear or branched  $\text{C}_4$  to  $\text{C}_{12}$  alkyl group;

-  $\text{C}_4$  to  $\text{C}_{12}$  alkyl vinyl ethers; and

- N-( $\text{C}_4$  to  $\text{C}_{12}$ )alkyl acrylamides;

~~—and mixtures thereof.~~

95. (Currently Amended) The liquid cosmetic composition according to Claim 93, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of less than or equal to 20°C is chosen from C<sub>1</sub> - C<sub>10</sub> alkyl acrylates ~~whose alkyl chain contains from 1 to 10 carbon atoms~~, with the exception of the tert-butyl acrylate group.

96. (Withdrawn - Currently Amended) The liquid cosmetic composition according to Claim ~~8980~~, wherein the block with a Tg of between 20 and 40°C ~~comprises~~ ~~is totally or partially derived from~~ at least one monomer such that a homopolymer prepared from the at least one monomer has a glass transition temperature of between 20 and 40°C.

97. (Currently Amended) The liquid cosmetic composition according to Claim ~~8980~~, wherein the block with a Tg of between 20 and 40°C is a copolymer comprising ~~totally or partially derived from~~ at least one monomer chosen from:

~~- such that the~~ monomers whose corresponding homopolymer has a Tg of greater than or equal to 40°C, and

~~- monomers from at least one monomer such that the~~ whose corresponding homopolymer has a Tg of less than or equal to 20°C.

98. (Currently amended) The liquid cosmetic composition according to Claim 97, wherein the block with a Tg of between 20 and 40°C is a copolymer comprising at least one monomer ~~totally or partially derived from monomers chosen from methyl methacrylate, isobornyl acrylate and methacrylate, butyl acrylate and 2-ethylhexyl acrylate, and mixtures thereof.~~

99. (Currently Amended) The at least one block polymer according to Claim ~~89~~ 80, wherein the at least one first block has a glass transition temperature ( $T_g$ ) of greater than or equal to  $40^{\circ}\text{C}$  and the at least one second block has a glass transition temperature of less than or equal to  $20^{\circ}\text{C}$ .

100. (Currently Amended) The liquid cosmetic composition according to Claim 99, wherein the at least one first block comprises ~~is totally or partially derived from~~ at least one monomer such that a homopolymer prepared from the at least one monomer has a glass transition temperature of greater than or equal to  $40^{\circ}\text{C}$ .

101. (Currently Amended) The liquid cosmetic composition according to Claim 100, wherein the at least one first block is a copolymer comprising ~~derived from~~ at least one monomer such that a homopolymer prepared from the at least one monomer has a glass transition temperature of greater than or equal to  $40^{\circ}\text{C}$ .

102. (Currently Amended) The liquid cosmetic composition according to Claim 100, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to  $40^{\circ}\text{C}$  is chosen from the following monomers:


- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$

in which  $\text{R}_1$  is chosen from a linear ~~or~~ and branched unsubstituted  $\text{C}_1$  to  $\text{C}_4$  alkyl group and a  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl group;

- acrylates of formula  $\text{CH}_2 = \text{CH-COOR}_2$

in which  $\text{R}_2$  is chosen from a  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl group and a tert-butyl group; and

- (meth)acrylamides of formula:



in which R<sub>7</sub> and R<sub>8</sub>, which may be identical or different, each are chosen from hydrogen atoms and linear and ~~or~~ branched C<sub>1</sub> to C<sub>12</sub> alkyl groups ; or R<sub>7</sub> is hydrogen and R<sub>8</sub> is a 1,1-dimethyl-3-oxobutyl group, and R' is chosen from hydrogen and methyl;

~~—and mixtures thereof.~~

103. (Currently Amended) The liquid cosmetic composition according to Claims 100, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to 40°C is chosen from methyl methacrylate, isobutyl methacrylate and isobornyl (meth)acrylate, ~~and mixtures thereof.~~

104. (Previously Presented) The liquid cosmetic composition according to Claim 100, wherein the at least one first block is present in an amount ranging from 20% to 90% by weight relative to the total weight of the polymer.

105. (Previously Presented) The liquid cosmetic composition according to Claim 104, wherein the at least one first block is present in an amount ranging from 50% to 70% by weight relative to the total weight of the polymer.

106. (Currently Amended) The liquid cosmetic composition according to Claim 99, wherein the at least one second block comprises ~~is totally or partially derived from~~ at least one monomer ~~which is~~ such that the homopolymer prepared from the at least one monomer has a glass transition temperature of less than or equal to 20°C.



107. (Currently Amended) The liquid cosmetic composition according to Claim 99, wherein the at least one second block is a homopolymer derived from ~~at least one monomer such that the homopolymer prepared from the at least one monomer has a glass transition temperature of less than or equal to 20°C.~~

108. (Currently Amended) The liquid cosmetic composition according to Claim 106, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of less than or equal to 20°C is chosen from the following monomers:

- acrylates of formula  $\text{CH}_2 = \text{CHCOOR}_3$ ,

wherein  $\text{R}_3$  is a linear or branched  $\text{C}_1$  to  $\text{C}_{12}$  unsubstituted alkyl group, with the exception of the tert-butyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;

- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_4$ ,

wherein  $\text{R}_4$  is a linear or branched  $\text{C}_6$  to  $\text{C}_{12}$  unsubstituted alkyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;

- vinyl esters of formula  $\text{R}_5\text{-CO-O-CH} = \text{CH}_2$

in which  $\text{R}_5$  is a linear or branched  $\text{C}_4$  to  $\text{C}_{12}$  alkyl group;

- $\text{C}_4$  to  $\text{C}_{12}$  alkyl vinyl ethers; and

- $\text{N}(\text{C}_4 \text{ to } \text{C}_{12})$ alkyl acrylamides;

~~—and mixtures thereof.~~

109. (Currently Amended) The liquid cosmetic composition according to Claim 106, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of less than or equal to 20°C is chosen from  $\text{C}_1$  -  $\text{C}_{10}$  alkyl

~~acrylates whose alkyl chain contains from 1 to 10 carbon atoms, with the exception of the tert-butyl acrylate group.~~

110. (Previously Presented) The liquid cosmetic composition according to Claim 99, wherein the at least one second block with a Tg of less than or equal to 20°C is present in an amount ranging from 5% to 75% by weight relative to the total weight of the polymer.

111. (Previously Presented) The liquid cosmetic composition according to Claim 110, wherein the at least one second block with a Tg of less than or equal to 20°C is present in an amount ranging from 25% to 45% by weight of the polymer.

112. (Currently Amended) The liquid cosmetic composition according to Claim ~~89~~ 80, wherein ~~the at least one block polymer comprises:~~

~~at least one first block and at least one second block;~~

the at least one first block having a glass transition temperature (Tg) of between 20 and 40°C and

the at least one second block having a glass transition temperature of less than or equal to 20°C or a glass transition temperature of greater than or equal to 40°C.

113. (Withdrawn - Currently Amended) The liquid cosmetic composition according to Claim 112, wherein the at least one first block with a Tg of between 20 and 40°C ~~is totally or partially derived from~~ comprises at least one monomer such that the homopolymer prepared from the at least one monomer has a glass transition temperature of between 20 and 40°C.

114. (Currently Amended) The liquid cosmetic composition according to Claim 112, wherein the at least one first block with a Tg of between 20 and 40°C is a

copolymer comprising ~~derived from~~ at least one monomer such that the corresponding homopolymer has a Tg of greater than or equal to 40°C, ~~and from~~ at least one monomer such that the corresponding homopolymer has a Tg of less than or equal to 20°C.

115. (Currently Amended) The liquid cosmetic composition according to Claim 112, wherein the at least one first block with a Tg of between 20 and 40°C comprises ~~is derived from~~ at least one monomer chosen from methyl methacrylate, isobornyl acrylate, isobornylmethacrylate, butyl acrylate and 2-ethylhexyl acrylate, ~~and mixtures thereof.~~

116. (Previously Presented) The liquid cosmetic composition according to Claim 112, wherein the at least one first block with a Tg of between 20 and 40°C is present in an amount ranging from 10% to 85% by weight relative to the total weight of the polymer.

117. (Previously Presented) The liquid cosmetic composition according to Claim 116, wherein the at least one first block with a Tg of between 20 and 40°C is present in an amount ranging from 50% to 70% by weight relative to the total weight of the polymer.

118. (Currently Amended) The liquid cosmetic composition according to Claim 112, wherein the at least one second block has a Tg of greater than or equal to 40°C and ~~is totally or partially derived from~~ comprises at least one monomer such that the homopolymer prepared from these each monomer[[s]] has a glass transition temperature of greater than or equal to 40°C.

119. (Currently Amended) The liquid cosmetic composition according to Claim 112, wherein the at least one second block has a Tg of greater than or equal to 40°C

and is a homopolymer ~~derived from the at least one monomer such that the~~  
~~homopolymer prepared from the at least one monomer has a glass transition~~  
temperature of greater than or equal to 40°C.

120. (Currently Amended) The liquid cosmetic composition according to Claim 118, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to 40°C is chosen from the following monomers:


- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$

in which  $\text{R}_1$  is chosen from a linear and ~~or~~ branched unsubstituted  $\text{C}_1$  to  $\text{C}_4$  alkyl group and a  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl group;

- acrylates of formula  $\text{CH}_2 = \text{CH-COOR}_2$

in which  $\text{R}_2$  is a  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl group; and

- (meth)acrylamides of formula:



in which  $\text{R}_7$  and  $\text{R}_8$ , which may be identical or different, each are chosen from hydrogen atoms and linear ~~or~~ and branched  $\text{C}_1$  to  $\text{C}_{12}$  alkyl groups, or  $\text{R}_7$  is hydrogen and  $\text{R}_8$  is a 1,1-dimethyl-3-oxobutyl group, and  $\text{R}'$  is chosen from hydrogen and methyl;

~~and mixtures thereof.~~

121. (Currently Amended) The liquid cosmetic composition according to Claim 116 wherein the at least one monomer whose corresponding homopolymer has a glass

transition temperature of greater than or equal to 40°C is chosen from methyl methacrylate, isobutyl methacrylate and isobornyl (meth)acrylate, ~~and mixtures thereof.~~

122. (Previously Presented) The liquid cosmetic composition according to Claim 118, wherein the at least one second block with a Tg of greater than or equal to 40°C is present in an amount ranging from 10% to 85% by weight relative to the total weight of the polymer.

123. (Previously Presented) The liquid cosmetic composition according to Claim 122, wherein the at least one second block with a Tg of greater than or equal to 40°C is present in an amount ranging from 30% to 70% by weight relative to the total weight of the polymer.

124. (Currently Amended) The liquid cosmetic composition according to Claim 112, wherein the at least one second block has a Tg of less than or equal to 20°C and comprises ~~is totally or partially derived from~~ at least one monomer such that the homopolymer prepared from the at least one monomer has a glass transition temperature of less than or equal to 20°C.

125. (Currently Amended) The liquid cosmetic composition according to Claim 112, wherein the at least one second block has a Tg of less than or equal to 20°C and is a homopolymer ~~derived from at least one monomer such that the homopolymer prepared from the at least one monomer has a glass transition temperature of less than or equal to 20°C.~~

126. (Currently Amended) The liquid cosmetic composition according to Claim 124, wherein ~~the~~ the at least one monomer whose corresponding homopolymer has a

glass transition temperature of less than or equal to 20°C is chosen from the following monomers:

- acrylates of formula  $\text{CH}_2 = \text{CHCOOR}_3$ ,

$\text{R}_3$  is a linear or branched  $\text{C}_1$  to  $\text{C}_{12}$  unsubstituted alkyl group, with the exception of the tert-butyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;

- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_4$ ,

$\text{R}_4$  is a linear or branched  $\text{C}_6$  to  $\text{C}_{12}$  unsubstituted alkyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;

- vinyl esters of formula  $\text{R}_5\text{-CO-O-CH} = \text{CH}_2$

in which  $\text{R}_5$  is a linear or branched  $\text{C}_4$  to  $\text{C}_{12}$  alkyl group;

-  $\text{C}_4$  to  $\text{C}_{12}$  alkyl vinyl ethers; and

-  $\text{N-(C}_4 \text{ to C}_{12})$ alkyl acrylamides;

———~~and mixtures thereof.~~

127. (Currently Amended) The liquid cosmetic composition according to Claim 124, wherein the at least one monomer whose homopolymers have glass transition temperatures of less than or equal to 20°C is chosen from  $\text{C}_1\text{-C}_{10}$  alkyl acrylates ~~whose alkyl chain contains from 1 to 10 carbon atoms~~, with the exception of the tert-butyl acrylate group.

128. (Previously Presented) The liquid cosmetic composition according to Claim 124, wherein the at least one block with a glass transition temperature of greater than or equal to 40°C is present in an amount ranging from 20% to 90% by weight relative to the total weight of the polymer.

129. (Previously Presented) The liquid cosmetic composition according to Claim 128, wherein the at least one block with a glass transition temperature of greater than or equal to 40°C is present in an amount ranging from 50% to 70% by weight relative to the total weight of the polymer.

130. (Currently Amended) The liquid cosmetic composition according to Claim ~~80~~ 84, wherein the at least one first block and/or the at least one second block further comprise at least one additional monomer.

131. (Currently Amended) The liquid cosmetic composition according to Claim 130, wherein the at least one additional monomer is chosen from hydrophilic monomers and ethylenically unsaturated monomers comprising at least one silicon atom, ~~and mixtures thereof.~~

132. (Currently Amended) The liquid cosmetic composition according to Claim 130 wherein the at least one additional monomer is chosen from:

- a) hydrophilic monomers, and
- b) ethylenically unsaturated monomers comprising at least one silicon atom, ~~—and mixtures thereof.~~

133. (Currently Amended) The liquid cosmetic composition according to Claim 132, wherein said hydrophilic monomers are chosen from:

- ethylenically unsaturated monomers comprising at least one carboxylic or sulfonic acid function,
- ethylenically unsaturated monomers comprising at least one tertiary amine function;
- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_6$

in which  $R_6$  is a linear or branched  $C_1$  to  $C_4$  alkyl group, said alkyl group being substituted with at least one substituent chosen from hydroxyl groups and halogen atoms;

- methacrylates of formula  $CH_2 = C(CH_3)COOR_9$ ,

in which  $R_9$  is a linear or branched  $C_6$  to  $C_{12}$  alkyl group in which at least one hetero atom chosen from O, N and S is optionally intercalated, said alkyl group being substituted with at least one substituent chosen from hydroxyl groups and halogen atoms; and

- acrylates of formula  $CH_2 = CHCOOR_{10}$ ,

in which  $R_{10}$  is a linear or branched  $C_1$  to  $C_{12}$  alkyl group substituted with at least one substituent chosen from hydroxyl groups and halogen atoms, or  $R_{10}$  is a  $C_1$  to  $C_{12}$  alkyl-O-POE (polyoxyethylene) with repetition of the oxyethylene unit 5 to 30 times, or

$R_{10}$  is a polyoxyethylenated group comprising from 5 to 30 ethylene oxide units.

134. (Currently Amended) A The liquid cosmetic composition according to Claim 133, wherein

said ethylenically unsaturated monomers comprising at least one carboxylic or sulfonic acid function are chosen from acrylic acid, methacrylic acid, crotonic acid, maleic anhydride, itaconic acid, fumaric acid, maleic acid, acrylamidopropanesulfonic acid, vinylbenzoic acid, vinylphosphoric acid, and salts thereof;

said ethylenically unsaturated monomers comprising at least one tertiary amine function are chosen from 2-vinylpyridine, 4-vinylpyridine, dimethylaminoethyl methacrylate, diethylaminoethyl methacrylate and dimethylaminopropylmethacrylamide, and salts thereof.



135. (Currently Amended) The liquid cosmetic composition according to Claim 130, wherein each of the at least one first block and the at least one second block comprises at least one additional monomer chosen from acrylic acid, (meth)acrylic acid and trifluoroethyl methacrylate, ~~and mixtures thereof.~~

136. (Currently Amended) The liquid cosmetic composition according to Claim 130, wherein each of the at least one first block and the at least one second block comprises at least one monomer chosen from (meth)acrylic acid esters and optionally at least one additional monomer ~~such as~~ chosen from (meth)acrylic acid, ~~and mixtures thereof.~~

137. (Currently Amended) The liquid cosmetic composition according to Claim 130, wherein each of the at least one first block and the at least one second block is totally derived from at least one monomer chosen from (meth)acrylic acid esters and optionally ~~from at least one additional monomer such as~~ (meth)acrylic acid, ~~and mixtures thereof.~~

138. (Previously Presented) The liquid cosmetic composition according to Claim 130, wherein the at least one additional monomer is present in an amount ranging from 1% to 30% by weight relative to the total weight of the at least one first block and/or the at least one second block.

139. (Currently Amended) The liquid cosmetic composition according to Claim 85 80 wherein the difference between the glass transition temperatures (T<sub>g</sub>) of the at least one first block and the at least one second block is greater than 10°C.

140. (Previously Presented) The liquid cosmetic composition according to Claim 139, wherein the difference between the glass transition temperatures ( $T_g$ ) of the at least one first block and the at least one second block is greater than  $40^{\circ}\text{C}$ .

141. (Cancelled)

142. (Currently Amended) The liquid cosmetic composition according to Claim 141 80 wherein the at least one block polymer has a polydispersity index of greater than or equal to 2.8.

143. (Currently Amended) The liquid cosmetic composition according to Claim 141 80, wherein the liquid cosmetic composition has a polydispersity index ranging from 2.8 to 6.

144. (Previously Presented) The liquid cosmetic composition according to Claim 80, wherein the at least one block polymer has a weight-average mass ( $M_w$ ) of less than or equal to 300 000.

145. (Previously Presented) The liquid cosmetic composition according to Claim 144, wherein the weight-average mass ( $M_w$ ) ranges from 35,000 to 200,000.

146. (Currently Amended) The liquid cosmetic composition according to Claim 1435, wherein the weight-average mass ( $M_w$ ) ranges from 45,000 to 150,000.

147. (Currently Amended) The liquid cosmetic composition according to Claim 14380, wherein the number-average mass ( $M_n$ ) is less than or equal to 70,000.

148. (Currently Amended) The liquid cosmetic composition according to Claim 1427, wherein the number-average mass ( $M_n$ ) ranges from 10,000 to 60,000.

149. (Previously Presented) The liquid cosmetic composition according to Claim 148, wherein the number-average mass ( $M_n$ ) ranges from 12,000 to 50,000.

150. (Currently Amended) The liquid cosmetic composition according to Claim 80, wherein the mean gloss of the composition measured at 20° is greater than or equal to ~~30~~ 35 out of 100.

151. (Currently Amended) The liquid cosmetic composition according to Claim ~~148~~ 150, wherein the mean gloss of the composition measured at 20° is greater than or equal to 75 out of 100.

152. (Currently Amended) The liquid cosmetic composition according to Claim 80, wherein the mean gloss of the liquid cosmetic composition, ~~once spread onto a support,~~ measured at 60°, is greater than or equal to 50 out of 100.

153. (Currently Amended) The liquid cosmetic composition according to Claim 152, wherein the mean gloss of the liquid cosmetic composition, ~~once spread onto a support,~~ measured at 60°, is greater than or equal to 90 out of 100.

154. (Previously Presented) The liquid cosmetic composition according to Claim 80, wherein the mean gloss of the composition measured at 20° is greater than or equal to 35 out of 100, and/or the gloss of the composition measured at 60° is greater than or equal to 65 out of 100.

155. (Previously Presented) The liquid cosmetic composition according to Claim 154, wherein the mean gloss of the composition measured at 20° is greater than or equal to 50 out of 100, and/or the gloss of the composition measured at 60° is greater than or equal to 75 out of 100.

156. (Currently Amended) The liquid cosmetic composition according to Claim ~~80~~ 155, wherein the gloss of the liquid cosmetic composition measured at 20° is greater

than or equal to 60 out of 100, and/or the gloss of the composition measured at 60° is greater than or equal to 80 out of 100.

157. (Previously Presented) The liquid cosmetic composition according to Claim 156, wherein the gloss of the liquid cosmetic composition measured at 20° is greater than or equal to 75 out of 100, and/or the gloss of the composition measured at 60° is greater than or equal to 90 out of 100.

158. (Currently Amended) The liquid cosmetic composition according to Claim 80, wherein the liquid cosmetic composition comprises from 0.1% to 60% ~~by weight of active material,~~ by weight of the at least one non-elastomeric film-forming linear block ethylenic polymer relative to the total weight of the composition.

159. (Currently Amended) The liquid cosmetic composition according to Claim 158, wherein the liquid cosmetic composition comprises from 10% to 40% by weight of active material, by weight of the at least one non-elastomeric film-forming linear block ethylenic polymer relative to the total weight of the composition.

160. (Currently Amended) The liquid cosmetic composition ~~composition~~ according to Claim 80, further comprising at least one dyestuff chosen from water-soluble dyes and pulverulent dyestuffs.

161. (Currently Amended) The liquid cosmetic composition according to Claim 80, wherein said composition is in a form chosen from a suspension, a dispersion, a solution, a gel, an emulsion, a cream, a mousse, a dispersion of vesicles, a two-phase or and multi-phase lotion, and a paste.

162. (Withdrawn) The liquid cosmetic composition according to Claim 161, wherein

said emulsion is chosen from an oil-in-water (O/W), water-in-oil (W/O) and a multiple emulsion (W/O/W or polyol/O/W or O/W/O),

said dispersion of vesicles is chosen from dispersions of ionic or nonionic lipids, and/or

said paste is chosen from soft pastes and anhydrous pastes.

163. (Withdrawn) The liquid cosmetic composition according to Claim 80, wherein said composition is in anhydrous form.

164. (Withdrawn) The liquid cosmetic composition according to Claim 80, wherein the liquid cosmetic composition is a makeup or care composition for keratin materials.

165. (Withdrawn- Currently Amended) The liquid cosmetic composition according to Claim 164, wherein the liquid cosmetic composition is chosen from a lip makeup composition product, an eye makeup composition product and or a nail makeup composition product.

166. (Withdrawn - Currently Amended) A multi-compartment kit comprising:

a) a container delimiting at least one compartment, the container being closed by a closing member; and

b) a composition placed inside said at least one compartment, wherein the composition comprises, in a cosmetically acceptable organic liquid medium, at least one non-elastomeric film-forming linear block ethylenic polymer, wherein the at least one non-elastomeric film-forming linear block ethylenic polymer has a polydispersity index of greater than or equal to 2.5 and comprises at least one first block and at least one second block with different glass transition temperatures (T<sub>g</sub>) linked

together via an intermediate segment comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the at least one first block differs from the at least one constituent monomer of the at least one second block, said intermediate segment is a random copolymer block, and the at least one first block of the polymer is chosen from:

a) a block with a Tg of greater than or equal to 40°C,

b) a block with a Tg of less than or equal to 20°C,

c) a block with a Tg of between 20 and 40°C, and

the at least one second block is chosen from a category a), b) or c) different from the at least one first block, and further wherein the liquid cosmetic composition has a  
~~wherein the at least one block polymer is present in a sufficient amount so that the mean gloss at 20° of a deposit of the liquid cosmetic composition, once spread onto a support, is greater than or equal to 30 out of 100.~~

167. (Withdrawn) The multi-compartment kit according to Claim 166, wherein the container is at least partially formed from at least one thermoplastic material.

168. (Withdrawn) The multi-compartment kit according to Claim 166, wherein the container is at least partially formed from at least one non-thermoplastic material.

169. (Withdrawn) The multi-compartment kit according to Claim 166, wherein in the closed position, the closing member is screwed onto the container.

170. (Withdrawn) The multi-compartment kit according to Claim 166, wherein in the closed position, the closing member is coupled to the container in a manner other than by screwing.

171. (Withdrawn) The multi-compartment kit according to Claim 170, wherein in the closed position, the closing member is coupled to the container by click-fastening.

172. (Withdrawn) The multi-compartment kit according to Claim 170, wherein in the closed position, the closing member is coupled to the container by bonding.

173. (Withdrawn) The multi-compartment kit according to Claim 170, wherein in the closed position, the closing member is coupled to the container by welding.

174. (Withdrawn) The multi-compartment kit according to Claim 166, wherein the composition is substantially at atmospheric pressure inside the compartment.

175. (Withdrawn) The multi-compartment kit according to Claim 166, wherein the composition is pressurized inside the container.

176. (Withdrawn - Currently Amended) A cosmetic process for making up or caring for keratin materials, comprising:

application to the keratin materials of a cosmetic composition;

wherein the cosmetic composition comprises, in a cosmetically acceptable organic liquid medium, at least one non-elastomeric film-forming linear block ethylenic polymer, wherein the at least one non-elastomeric film-forming linear block ethylenic polymer has a polydispersity index of greater than or equal to 2.5 and comprises at least one first block and at least one second block with different glass transition temperatures (T<sub>g</sub>) linked together via an intermediate segment comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the at least one first block differs from the at least one constituent monomer

of the at least one second block, said intermediate segment is a random copolymer block, and the at least one first block of the polymer is chosen from:

a) a block with a Tg of greater than or equal to 40°C,

b) a block with a Tg of less than or equal to 20°C,

c) a block with a Tg of between 20 and 40°C, and

the at least one second block is chosen from a category a), b) or c) different from the at least one first block, and further wherein the liquid cosmetic composition has a  
~~the at least one block polymer is present in a sufficient amount so that the mean gloss~~  
~~at 20° of a deposit of the liquid cosmetic composition, once spread onto a support, is~~  
greater than or equal to 30 out of 100.